

## PUBBLICAZIONI anni 2006/2008

- [1] G. Alì, G. Frosali, O. Morandi, Two-band quantum hydrodynamic models arising from the Bloch envelope theory, In A.M.Anile, G.Ali,, G.Mascali (Eds.), "Proceedings 5<sup>th</sup> International Workshop Scientific Computing in Electrical Engineering SCEE2004, "Scientific Computing in Electrical Engineering", Mathematics in Industry, Vol. 9, Springer, 2006, pp. 271-276
- [2] A. Arnold, E. Dhamo, C. Manzini, Dispersive effects in quantum kinetic equations, *Indiana Univ. Math. J.* **56**(3), 1299-1331 (2007)
- [3] A. Arnold, E. Dhamo, C. Manzini, The Wigner-Poisson-Fokker-Planck problem: global-in-time solutions and dispersive effects, *Annales de l'IHP-Analyse nonlineaire* **24**(4), 645-676 (2007)
- [4] L. Barletti, A. Belleni-Morante, R. Monaco, Kinetic models for dust coagulation in interstellar clouds, *Academia Sinica (New Series)*, 2(2). 235-249 (2007).
- [5] L. Barletti , L. Demeio, G. Frosali, Multiband quantum transport models for semiconductor devices. In C. Cercignani and E. Gabetta (Eds.), ``Transport Phenomena and Kinetic Theory'', *Modeling and Simulation in Science, Engineering and Technology*, Birkhäuser, Boston, 2007, pp. 55-89
- [6] N. Ben Abdallah, L. Barletti, Quantum transport in crystals: effective-mass theorem and k.p Hamiltonians, 2006 (preprint)
- [7] N. Ben Abdallah, G. Frosali (Editors), Quantum Transport: Modelling, Analysis and Asymptotics, Lectures given at the C.I.M.E. Summer School held in Cetraro, Italy September 11-16, 2006 *Lecture Notes in Mathematics* 1946, (2008).
- [8] L. L. Bonilla, L. Barletti, M. Alvaro, Nonlinear electron and spin transport in semiconductor superlattices, *SIAM J. Appl. Math.* **69**(2), 494-513 (2008).
- [9] L. L. Bonilla, L. Barletti, R. Escobedo, M. Alvaro, Nonlinear electronic transport in semiconductor superlattices. In *Applied and Industrial Mathematics in Italy II*, editors V. Cutello, G. Fotia and L. Puccio, World Scientific, Singapore, 2007
- [10] P. Bordone, A. Bertoni, ``Simulation of entanglement creation for carrier-impurity scattering in a 2D system" in Nonequilibrium Carrier Dynamics in Semiconductors, M. Saraniti and U.Ravaoli, eds., Proceedings of the 14th International Conference, July 25-29, 2005, Chicago, USA, pp.19-22, Springer Proceedings in Physics, vol. 110 (2006).
- [11] G. Borgioli, G. Frosali and C. Manzini, Quantum high-field corrections to a drift-collision balance model of semiconductor transport, *Transport Theory Statist. Phys.*, 37(5), 381-411 (2008) DOI: 10.1080/00411450802526293 - <http://dx.doi.org/10.1080/00411450802526293>
- [12] G. Borgioli, G. Frosali and C. Manzini, Hydrodynamic models for a two-band nonzero-temperature quantum fluid, ``*Proceedings WASCOM2005 - 13<sup>th</sup> Conference on Waves and Stability in Continuous Media*," World Scientific, Singapore, 2006, pp. 53-58
- [13] G. Borgioli, G. Frosali and C. Manzini, Derivation of a quantum hydrodynamic model in the high-field case. In N. Manganaro et al. (Eds.), ``*Proceedings WASCOM2007 - 14<sup>th</sup> Conference on Waves and Stability in Continuous Media*," World Scientific, Singapore, 2008, pp. 60-65
- [14] F. Buscemi, P. Bordone, and A. Bertoni, Linear entropy as an entanglement measure in two-fermion systems, *Phys. Rev. A* 75, 032301 (2007).
- [15] F. Buscemi, P. Bordone, A. Bertoni, Simulation of the entanglement creation for identical particles scattering in a 2D system, *J. Comput. Electron.* **6**, 89-92 (2007).
- [16] F. Buscemi, P. Bordone, A. Bertoni, Entanglement creation for two-electron scattering in a 2D system, *Optics and Spectroscopy* **103**, 47-51 (2007).
- [17] F. Buscemi, P. Bordone, A. Bertoni, Carrier-carrier entanglement and transport resonances in semiconductor quantum dots, *Phys. Rev. B* **76**, 195317 (2007).
- [18] F. Buscemi, P. Bordone, and A. Bertoni, Entanglement dynamics of electron-electron scattering in low-dimensional semiconductor systems, *Phys. Rev. A* 73, 052312 (2006). Selected for the June 5, 2006 issue of *Virtual Journal of Nanoscale Science and Technology*, and for the June 2006 issue of *Virtual Journal of Quantum Information*.

- [19] F. Buscemi, P. Bordone, A. Bertoni, Simulation of decoherence in 1D systems, a comparison between distinguishable- and indistinguishable-particle collisions, *Phys. Stat. Sol. (c)* **5**(1), 139-142 (2008).
- [20] F. Buscemi, P. Bordone, A. Bertoni, Effects of scattering resonances on carrier-carrier entanglement in charged quantum dots, *J. Comput. Electron.* **7**, 263-267 (2008).
- [21] F. Buscemi, E. Cancellieri, P. Bordone, A. Bertoni, and C. Jacoboni, Electron decoherence in a semiconductor due to electron-phonon scattering, *Phys. Stat. Sol. (c)* **5**, No.1, 52-55 (2008).
- [22] E. Cancellieri, P. Bordone, C. Jacoboni, The Effect of Symmetry in the Many-Particle Wigner Function, *Phys. Rev. B* **76**, 214301 (2007).
- [23] E. Cancellieri, P. Bordone, and C. Jacoboni, ``Exchange effects in the Wigner-function approach'' in *Nonequilibrium Carrier Dynamics in Semiconductors*, M. Saraniti and U. Ravaioli, eds., Proceedings of the 14th International Conference, July 25-29, 2005, Chicago, USA, pp.167-170, Springer Proceedings in Physics, vol. 110 (2006).
- [24] E. Cancellieri, M. Rosini, P. Bordone, and C. Jacoboni, ``Roughness effect on electron transport through quantum wires'', *phys. stat. sol. (c)* **5**(1), 127-130 (2008).
- [25] L. Demeio, Quantum Corrections to Classical BGK Modes in Phase Space, *Transport Theory and Stat. Phys.* **36**(1-3) 137-158 (2007)
- [26] L. Demeio, P. Bordone, C. Jacoboni, Multi-band, non-parabolic Wigner-function approach to electron transport in semiconductors, *Transport Theory Stat. Phys.* (to appear)
- [27] L. Demeio and S. Lenci, Forced nonlinear oscillations of semi-infinite cables and beams resting on a unilateral elastic substrate, *Nonlinear Dynamics* **49**(1-2), 203-215 (2007)  
(*Proceedings of the 11th Conference on Nonlinear Vibrations, Stability and Dynamics of Structures*, Blacksburg, VA (USA), August 2006).
- [28] L. Demeio and S. Lenci, Asymptotic analysis of chattering oscillations for an impacting inverted pendulum, *The Quarterly Journal of Mechanics and Applied Mathematics*, **59**, 419-434 (2006)
- [29] L. Demeio and S. Lenci, Second-order solutions for the dynamics of a semi-infinite cable on a unilateral substrate, *Journal of Sound and Vibration*, Special issue for the *Proc. of the Euromech Colloquium 403, Geometrically Nonlinear Vibrations of Structures*, Porto (Portugal), July 9-11, 2007
- [30] G. Ferrari, P. Bordone, C. Jacoboni, Electron dynamics inside short-coherence systems, *Phys. Lett. A* **356**, 371-375 (2006).
- [31] G. Ferrari, E. Cancellieri, P. Bordone, and C. Jacoboni, ``Quantum phonon-limited high-field electron transport in semiconductors'' in *Nonequilibrium Carrier Dynamics in Semiconductors*, M. Saraniti and U. Ravaioli, Eds., *Proceedings of the 14th International Conference*, July 25-29, 2005, Chicago, USA, pp.301-304, Springer Proceedings in Physics, vol. 110 (2006).
- [32] G. Frosali and C. Manzini, Corrected quantum drift-diffusion equation via compressed Chapman-Enskog expansion, *Communications to SIMAI Congress*, ISSN 1827-9015, Vol.1 (2006) DOI: 10.1685/CSC06085
- [33] G. Frosali and O. Morandi, A quantum kinetic approach for modeling a two-band resonant tunneling diode, *Transport Theory Statist. Physics* **36**, 159-177 (2007) ISSN: 0041-1450 print/1532-2424 online, DOI: 10.1080/00411450701456907
- [34] G. Lauro, M. Lisi, R. Monaco, ``Bifurcation analysis of a model for the evolution of bioenergy'', submitted to *Landscape Ecology*.
- [35] S. Lenci, L. Demeio and M. Petrini, Some aspects of the non-smooth dynamics of an impacting inverted pendulum, *Proceedings 5th Euromech Nonlinear Dynamics Conference*, ENOC-2005, Eindhoven, The Netherlands, August 7-12 2005 (submitted).
- [36] M. Lisi, Problemi inversi in astrofisica, *Bollettino U.M.I.*, Serie VIII, Vol. IX-A, 246-250 (2006).
- [37] M. Lisi, Some remarks on the Cantor pairing function, *Le Matematiche* , **LXII**, 55-65, 2007.

- [38] M. Lisi, S. Totaro, Photon transport with a localized source in locally convex spaces, *Mathematical Methods in the Applied Sciences*, 29, 1019-1033 (2006).
- [39] M. Lisi, S. Totaro, Analysis of a mathematical model for the interaction between algae and light, *Proceedings "WASCOM 2005"- 13th Conference on Waves and Stability in Continuous Media*, World Scientific, Singapore, 328-334 (2006).
- [40] M. Lisi, S. Totaro, Algae-light interaction: study of an approximated model and asymptotic analysis, *Transport Theory Statist. Phys.*, 36, 323-349 (2007).
- [41] M. Lisi, S. Totaro, On the spectrum of the free streaming operator in the three dimensional case, *Transport Theory Statist. Phys.*, 36, 351-379 (2007).
- [42] M. Lisi, S. Totaro, Analysis of an age-structured MSEIR model, *Rend. Sem. Mat. Univ. Pol. Torino*, **66**, 117-133, 2008.
- [43] M. Lisi, S. Totaro, Analysis of a mathematical model for barnacles", *Quaderno Dipartimento di Scienze Matematiche ed Informatiche*, **495**, Siena 2008.
- [44] M. Lisi, S. Totaro, A mathematical model for a contracting interstellar cloud, *Bollettino U.M.I.* (in press).
- [45] C. Manzini, The three-dimensional Wigner-Poisson problem with inflow boundary conditions,, *J. Math. Anal. Appl.* 313(1) 184-196 (2006).
- [46] C. Manzini, A. Arnold and E.Dhamo, Note on dispersive effects in quantum kinetic equations, *Communications to SIMAI Congress*, ISSN 1827-9015, Vol.1 (2006) DOI: 10.1685/CSC06011
- [47] C. Manzini and G. Frosali, Rigorous drift-diffusion asymptotics of a strong-field quantum transport equation, 2006 (submitted)
- [48] C. Manzini and O. Morandi, An analysis of a quantum kinetic two-band model with inflow boundary conditions, *Communications to SIMAI Congress*, ISSN 1827-9015, Vol.1 (2006) DOI: 10.1685/CSC06107
- [49] O. Morandi, Multiband Wigner-function formalism applied to the band to band transition phenomena, *Phys. Rev. B* (submitted).
- [50] O. Morandi and L. Demeio, Simulation of the Rashba Effect in a Multiband Quantum Structure, *Journal of Computational Electronics* (Special issue with Proceedings of the 11th International Workshop on Computational Electronics, Vienna, May 24-28, 2006) **6**, 1-3 (2007) (published Online 19/01/2007)
- [51] O. Morandi and L. Demeio, A Wigner-function approach to Landau-Zener transitions based on the multiband-envelope-function model, *Transport Theory and Stat. Phys.*, 37(5), 437-459 (2008)
- [52] O. Morandi and G. Frosali, A quantum kinetic approach for modeling a two-band resonant tunneling diode, *Transport Theory Statist. Phys.* 36, 159-177, 2007. ISSN: 0041-1450 print/1532-2424 online, DOI: 10.1080/00411450701456907
- [53] O. Morandi, P.-A. Hervieux and G. Manfredi, Laser Induced Ultrafast Demagnetization in Diluted Magnetic Semiconductors Nanostructures, *Eur. Phys. J. D*, (in press) .
- [54] O. Morandi, P.-A. Hervieux and G. Manfredi, Ultrafast Magnetization Dynamics in Diluted Magnetic Semiconductors, *Phys. Rev. B*, (submitted).